



Declaration of Performance



IG Masonry Support, in accordance with the construction products regulation (EU) No 305/2011, declares the bespoke load bearing fabrications manufactured from Stainless Steel (1.4301/10.4307)

IG - SWADLINCOTE

Ryder Close, Cadley Hill Industrial Estate
Swadlincote, South Derbyshire DE11 9EU

T: +44 (0) 1283 200 157
F: +44 (0) 1283 226 616
E: support@igmss.co.uk

IG - IRELAND

Ballyreagh Industrial Estate, Cookstown, Co. Tyrone BT80 9DG

T: +44 (0) 28 86760 334
F: +44 (0) 28 86761 011
E: info@igmss.co.uk

IG - CWMBRAN

Avondale Road, Cwmbran, Gwent, NP44 1XY

T: +44 (0) 1633 486 486
F: +44 (0) 1633 486 465

IG Masonry Support Systems, Windposts & other bespoke load bearing fabrications

conform to the provision of Annex ZA, BS EN 1090 -1:2009+A1:2011
Products/Systems designed according to EN 1993 (EC3) and manufactured in accordance to BS EN 1090-2: Execution Class 2 (EXC2)

Notified Body

British Board of Agreement
Bucknalls Lane
Watford
Herts
WD25 9BA

Notified Body Number: 0836

FPC Certification Number: 0836-CPR-14/F106

Essential Characteristics

Resistance to Fire
Fatigue Strength
Tolerance to Dimensions
Weldability
Fracture Toughness
Reaction to Fire
Release of Cadmium
Emission of Radioactivity
Durability
Load Bearing Capacity

NPD
NPD
According to EN 1090-2
Stainless Steel 1.4301/1.4307, according to EN 10088-2
Minimum 60J at 20DegC
Classified: Class A1
NPD
NPD
Uncoated: NPD
Designed to EN 1993 (EC3) - Contact IG for specific load tables.

This declaration is issued under the sole responsibility of IG Masonry Support Systems.

Authorised by: Owen Coyle, General Manager (IGMSS)
Date: 28/11/2016